FUTSAL

Futsal has seen exponential growth in recent years. This is, without a doubt, due to the entertainment offered by a game with outstanding player technique and unpredictable action. To play their best, futsal players need a field equal to their talent.
MONDO is happy to join in this fun.



THE BIGGEST SHOW ON THE SMALLEST FIELD.



WE CARE ABOUT FUTSAL.

In 2006 UEFA and MONDO started their fruitful co-operation to develop futsal systems for high-level competitions. MONDO has become Preferred Partner for sport flooring for UEFA Futsal. Working together for more than a decade, we have been achieving a long series of successful events worldwide.

UEFA FUTSAL WORLD CHAMPIONSHIPS

UEFA Futsal EURO 2007 Lisbon, Portugal
UEFA Futsal Cup Finals 2008 Moscow, Russia
UEFA Futsal Cup Finals 2009 Ekaterinburg, Russia
UEFA Futsal EURO 2010 Budapest & Debrecen, Hungary
UEFA Futsal Cup Finals 2010 Lisbon, Portugal
UEFA Futsal Cup Finals 2011 Almaty, Kazakhstan
UEFA Futsal EURO 2012 Zagreb & Split, Croatia
UEFA Futsal Cup Finals 2012 Lleida, Spain
UEFA Futsal Cup Finals 2013 Tblisi, Georgia
UEFA Futsal EURO 2014 Antwerp, Belgium
UEFA Futsal Cup Finals 2014 Baku, Azerbaijan
UEFA Futsal Cup Finals 2015 Lisbon, Portugal
UEFA Futsal EURO 2016 Belgrade, Serbia
UEFA Futsal Cup Finals 2016 Guadalajara, Spain
UEFA Futsal Cup Finals 2017 Almaty, Kazakhstan

FUTSAL

FAST BREAK SYSTEM 2 LAMINATED



FUTSAL NON PLUS ULTRA.

Perfect ball rolling and speed of play are crucial in high-level competitions. This is why the slabs of the Fast Break System 2 Laminated have an HLP laminated surface finish on a load bearing birch phenolic marine plywood backing. The structure was designed to guarantee the maximum control of ball shot and consistency during all matches.

FAST BREAK INTERLOCKING SYSTEM

Integrated locking system that makes it possible to connect panels without the need for additional connectors.

Fast Break System 2 Laminated is an Area Elastic flooring system made of wooden plates with HPL laminated finishing. Tiles are modular and detachable. Specifically designed in collaboration with UEFA for high-level futsal competitions, the system has become the official surface for futsal competitions since 2010.

PERFECT BIOMECHANICAL RESPONSE ALL OVER THE COURT.

The layout of the adjustable elastic supports was designed in collaboration with the Biomechanical Institute in Valencia, Spain, for superior biomechanical shock absorption and consistent ball bounce everywhere on the court. The system also is made to withstand the weight of futsal goal posts and the rolling loads of telescopic bleachers.

QUICK AND EASY TO ASSEMBLE.

To guarantee a perfect joint, the unique interlocking system incorporates rubber-and-polyamide components called Flexy Clips into the plates themselves. This makes floor assembly and disassembly quick and easy, with no additional components required. In fact, a group of six people can install a court in just three hours. MONDO also offers a special container for transporting and storing the flooring plates, and the court's aluminum perimeter is included.

DESIGNED FOR FUTSAL.

Fast Break System 2 Laminated was specifically designed in collaboration with UEFA for high-level competitions. In 2010, it became the official surface for UEFA international competitions.
The system has been further personalized with the look of the games colors and specific colors combinations were studied to always determinate ball's position during all match's phases.
Fast Break System 2 Laminated meets the requirements of the European standard EN 14904 and requirements of the International Sports Federations.



FAST BREAK SYSTEM 2 LAMINATED

DIMENSIONS

Thickness	45,8 mm
Tile Size	120x60 cm / 60x60 cm

CERTIFICATIONS

- UEFA recognition to MONDO and its wide experience in futsal floorings for highest level competition.


FUTSAL

MONDOFLEX + EVERLAY® PROTECTION



A SYNTHETIC SURFACE FOR NATURAL PLAY.

With its ideal combination of surface grip and playing comfort, Mondoflex and Everlay® Protection provide excellent ball control and reaction speed, which are essential in futsal. The smooth, slip-proof and anti-reflective finish guarantees perfect ball rolling while the shock absorbing underlayment ensures safety and uniform stability for foot rotations.



MULTILAYER CONCEPT

The system is assembled by arranging layers of varying composition and elasticity on-site. Thanks to the combination of elastic under layer and surface finish, the system is able to respond specifically to the requirements of each sport, even in the event of intensive use and in multipurpose facilities.



SMOOTH SOLID RUBBER TOP LAYER

Vulcanized rubber surfaces with a smooth finish, for indoor installation. Thanks to its properties, under dry conditions, the rubber naturally ensures a superficial grip, without any need for additional embossing.

This system pairs Mondoflex rubber flooring with Everlay® Protection, an underlayment with superior stabilization and shock absorption. It can be laid loose and guarantees shock absorption values of between 25% and 34% (Category P1 according to standard EN14904) to ensure athletes' comfort and safety.

MONDOFLEX: MADE FOR PLAY, MADE TO LAST.

The vulcanization process makes the rubber hard and durable, so the flooring maintains its biomechanical properties for years. In addition, rubber surfaces do not require heat sealing during installation, eliminating the need for welding joints, which typically are the first part of a floor to be damaged by wear.

RUBBER: THE ENVIRONMENT WINS.

Mondoflex has passed UL Environmental testing for more than 10,000 volatile chemical agents, and has earned GREENGUARD and GREENGUARD Gold certification. Sports flooring that is certified for low VOC emissions actively contributes to better air quality inside sports facilities, and MONDO works hard to ensure that all of its products protect athletes' health and contribute to their performance during training and competition. Plus, tests conducted in 2013 for the Environmental Product Declaration (EPD) for LCA analysis showed that Mondoflex's environmental impact is 19% lower than PVC flooring products. Mondoflex complies with standards ISO 14040 and ISO 14044, and because it is considered solid urban waste, it can be disposed of in a normal landfill.



MONDOFLEX + EVERLAY® PROTECTION

MONDOFLEX DIMENSIONS

Thickness	2,5 mm
Roll Length	18 m
Roll Height	190 cm

EVERLAY® PROTECTION DIMENSIONS

Everlay Protection	4,7 mm
Roll Length	25 m
Roll Height	200 cm

MF90 and MF33 magnetic version available upon request

CERTIFICATIONS

- Greenguard Certification
- Greenguard Gold Certification
- EN 14904

COLOR RANGE

MF61 MAPLE · MF21 · MF25 · MF40 · MF10

MF18 · MF33 · MF30 · MF62 · MF90

MF70