ICE HOCKEY

Surfaces around the rink and locker rooms in ice hockey arenas must be skate resistant and able to absorb sound, tolerate temperature and humidity fluctuations, and adhere to health and safety regulations. MONDO's ice hockey arena surfaces meet all these requirements with ease.




THE BEST SUPPORT
IN ANY ARENA.





ICE HOCKEY

SPORT IMPACT

HEAVY DUTY? NO WORRIES.

Even before skaters hit the ice, their blades give arena flooring a serious workout. With its 3 millimeter wear layer, Sport Impact resists abrasions and cuts, and it's perfect for common areas and dressing rooms as well.

UNSURPASSED WEIGHT RESISTANCE.

Sport Impact is a double-layered vulcanized rubber flooring with an extra-thick 3 millimeter wear layer that resists traction, lacerations, and heavy loads. Ideal for even the most intense sports activities, it ensures athletes excellent stability due to the embossed and non-porous surface, and the underlayment guarantees uniform shock absorption and dimensional stability.



ICE HOCKEY

RAMFLEX

THE BASE FOR GROWING A PASSION.

A hockey arena is more than just ice. The areas around the rink and locker rooms must withstand intense traffic and the constant stress of skate blades. That's why hockey venues need flooring that is solid but still able to absorb loads and impact - like Ramflex.

VERSATILE AND WEAR-RESISTANT.

With its double-layered construction, Ramflex flooring offers an optimal combination of resistance and shock absorption. The 2 millimeter-thick rubber surface layer can withstand wear from weights and light abrasions. Its non-porous surface allows for easy maintenance, and because it's anti-slip, it provides the perfect grip for every workout, even when users wear minimal or no footwear. The combination of the surface layer and shock-absorbing underlayment ensures perfect dimensional stability.

SPORT IMPACT

DIMENSIONS

Thickness	6 mm / 10 mm
Roll Length	13 m / 9 m
Roll Height	186 cm
Tile Size	91,35 x 91,35 cm

CERTIFICATIONS

- Greenguard Certification
- Greenguard Gold Certification

COLOR RANGE

S141 S110 S114 S136 S154 S062

S055 S026 S008 S018 S011 S073

RAMFLEX

DIMENSIONS

Thickness	6 mm / 10 mm
Roll Length	13 m / 9 m
Roll Height	186 cm
Tile Size	91,35 x 91,35 cm

CERTIFICATIONS

- Greenguard Certification
- Greenguard Gold Certification

COLOR RANGE

986 920 712 710 741 715

790 707